

Project

Wallbrook -

WMCPA – ROLESVILLE, WENDELL, ZEBULON WATERSHED MANAGEMENT **CONSTRUCTION PLAN APPROVAL**

Townhomes Jurisdiction Rolesville Name Watershed **Lower Neuse Date Processing Disturbed Date Received** 6/29/2023 **Initiated** 6/29/2023 Acreage 18.5 **S&E Permit** S&E Number SEC-084327-2022 Plan Review Fee \$4,625.00 PAID **S&E Permit Fee** \$4,625.00 PAID **SW Permit** SW **Number** SWF-084502-2022 Plan Review Fee \$5,686.88 PAID **SW Permit Fee** \$5,689.00 PAID **Engineer:**

Applicant:

CRP/C4 WALLBROOK VILLAGE OWNER

Name Name: Todd O'Daniel

3 Keel St, Suite 2, Wrightsville Beach, NC

Address: 28480-1709 Address: 2905 Meridian Parkway, Durham, NC 27713

Phone: (704)621-6430 Phone: (919) 361-5000

Email: odaniel@mcadams.com Email: awilliams@csere.com

Plan Date/Revision Date: 8/30/2024

The above-referenced erosion control and stormwater management plans have been reviewed and conditionally approved.


Approval Date:

10/8/2024

Wallbrook Townhomes is approved for the creation of 140 townhome units with amenity center and a commercial lot. Plans approved limiting the maximum impervious surface of 540,920 SF (12.42 acres) that has been dispersed over lots, roads, driveways, and sidewalks. The project shall provide stormwater control (peak attenuation and volume management) with 2 SCMs (Wet Pond and Detention). See approved site data below.

Approved Site Data:


Permitted	Road (SF)	Lots (SF)	Other (SF)	Total
Impervious (SF)	158,674	279,129	103117	(SF) 540,920





WMCPA – ROLESVILLE, WENDELL, ZEBULON WATERSHED MANAGEMENT CONSTRUCTION PLAN APPROVAL

References for Erosion and Sediment Control: Wake County Unified Development Ordinance (UDO) Article 10 References for Stormwater Management: ROLESVILLE: Town of Rolesville Unified Development Ordinance (UDO) Section 7.5: Stormwater Management Standards WENDELL: Town of Wendell Unified Development Ordinance (UDO) Chapter 6: Environmental Protection, adopted 7/26/10. ZEBULON: Town of Zebulon, NC Code of Ordinances: Chapter 151 and Chapter 152.249. A mandatory preconstruction meeting is required between the owner, contractor, and Wake County prior to issuance of the Stormwater and Land Disturbance Permits. Please call to schedule this meeting at your convenience. Contractor shall follow plans strictly and maintain contact with Wake County prior to making any field modifications to erosion and sediment control devices. No devices shall be removed without prior approval from Wake County. Wake County's sedimentation pollution control program is performance oriented, requiring protection of the natural resources and adjoining properties. If at any time during the project it is determined that the Erosion and Sedimentation Control Ordinance of Wake County, this office may require revisions in the plan and its implementation to ensure compliance with the Ordinance. All projects that have approved plans for an E&SC permit on or after Aug. 3, 2011 are covered by the NPDES Construction Stormwater General Permit, NCG 010000. In addition, effective October 1, 2010, persons conducting land-disturbing activities larger than one acre must inspect their project after each phase of the project, and document the inspection in writing. A packet with information on the NPDES General Permit and			f Approval			
References for Stormwater Management: ROLESVILLE: Town of Rolesville Unified Development Ordinance (UDO) Section 7.5: Stormwater Management Standards WENDELL: Town of Wendell Unified Development Ordinance (UDO) Chapter 6: Environmental Protection, adopted 7/26/10. ZEBULON: Town of Zebulon, NC Code of Ordinances: Chapter 151 and Chapter 152.249. A mandatory preconstruction meeting is required between the owner, contractor, and Wake County prior to issuance of the Stormwater and Land Disturbance Permits. Please call to schedule this meeting at your convenience. Contractor shall follow plans strictly and maintain contact with Wake County prior to making any field modifications to erosion and sediment control devices. No devices shall be removed without prior approval from Wake County. Wake County's sedimentation pollution control program is performance oriented, requiring protection of the natural resources and adjoining properties. If at any time during the project it is determined that the Erosion and Sedimentation Control Ordinance of Wake County, this office may require revisions in the plan and its implementation to ensure compliance with the Ordinance. All projects that have approved plans for an E&SC permit on or after Aug. 3, 2011 are covered by the NPDES Construction Stormwater General Permit, NCG 010000. In addition, effective October 1, 2010, persons conducting land-disturbing activities larger than one acre must inspect their project after each phase of the project, and document the inspection in writing. A packet with information on the NPDES General Permit and	Items marked with an "X" were noted as conditions of the Stormwater and Sediment and Erosion Control Plan approval.					
ROLESVILLE: Town of Rolesville Unified Development Ordinance (UDO) Section 7.5: Stormwater Management Standards WENDELL: Town of Wendell Unified Development Ordinance (UDO) Chapter 6: Environmental Protection, adopted 7/26/10. ZEBULON: Town of Zebulon, NC Code of Ordinances: Chapter 151 and Chapter 152.249. A mandatory preconstruction meeting is required between the owner, contractor, and Wake County prior to issuance of the Stormwater and Land Disturbance Permits. Please call to schedule this meeting at your convenience. Grading, other than for installation of soil erosion and sedimentation control measures, is prohibited prior to the issuance of a Certificate of Compliance. Contractor shall follow plans strictly and maintain contact with Wake County prior to making any field modifications to erosion and sediment control devices. No devices shall be removed without prior approval from Wake County. Wake County's sedimentation pollution control program is performance oriented, requiring protection of the natural resources and adjoining properties. If at any time during the project it is determined that the Erosion and Sedimentation Control Ordinance of Wake County, this office may require revisions in the plan and its implementation to ensure compliance with the Ordinance. All projects that have approved plans for an E&SC permit on or after Aug. 3, 2011 are covered by the NPDES Construction Stormwater General Permit, NCG 010000. In addition, effective October 1, 2010, persons conducting land-disturbing activities larger than one acre must inspect their project after each phase of the project, and document the inspection in writing. A packet with information on the NPDES General Permit and	Refere					
WENDELL: Town of Wendell Unified Development Ordinance (UDO) Chapter 6: Environmental Protection, adopted 7/26/10. ZEBULON: Town of Zebulon, NC Code of Ordinances: Chapter 151 and Chapter 152.249. A mandatory preconstruction meeting is required between the owner, contractor, and Wake County prior to issuance of the Stormwater and Land Disturbance Permits. Please call to schedule this meeting at your convenience. Grading, other than for installation of soil erosion and sedimentation control measures, is prohibited prior to the issuance of a Certificate of Compliance. Contractor shall follow plans strictly and maintain contact with Wake County prior to making any field modifications to erosion and sediment control devices. No devices shall be removed without prior approval from Wake County. Wake County's sedimentation pollution control program is performance oriented, requiring protection of the natural resources and adjoining properties. If at any time during the project it is determined that the Erosion and Sedimentation Control Ordinance of Wake County, this office may require revisions in the plan and its implementation to ensure compliance with the Ordinance. All projects that have approved plans for an E&SC permit on or after Aug. 3, 2011 are covered by the NPDES Construction Stormwater General Permit, NCG 010000. In addition, effective October 1, 2010, persons conducting land-disturbing activities larger than one acre must inspect their project after each phase of the project, and document the inspection in writing. A packet with information on the NPDES General Permit and			<u> </u>			
A mandatory preconstruction meeting is required between the owner, contractor, and Wake County prior to issuance of the Stormwater and Land Disturbance Permits. Please call to schedule this meeting at your convenience. 2. Grading, other than for installation of soil erosion and sedimentation control measures, is prohibited prior to the issuance of a Certificate of Compliance. Contractor shall follow plans strictly and maintain contact with Wake County prior to making any field modifications to erosion and sediment control devices. No devices shall be removed without prior approval from Wake County. Wake County's sedimentation pollution control program is performance oriented, requiring protection of the natural resources and adjoining properties. If at any time during the project it is determined that the Erosion and Sedimentation Control Ordinance of Wake County, this office may require revisions in the plan and its implementation to ensure compliance with the Ordinance. All projects that have approved plans for an E&SC permit on or after Aug. 3, 2011 are covered by the NPDES Construction Stormwater General Permit, NCG 010000. In addition, effective October 1, 2010, persons conducting land-disturbing activities larger than one acre must inspect their project after each phase of the project, and document the inspection in writing. A packet with information on the NPDES General Permit and						
 A mandatory preconstruction meeting is required between the owner, contractor, and Wake County prior to issuance of the Stormwater and Land Disturbance Permits. Please call to schedule this meeting at your convenience. Grading, other than for installation of soil erosion and sedimentation control measures, is prohibited prior to the issuance of a Certificate of Compliance. Contractor shall follow plans strictly and maintain contact with Wake County prior to making any field modifications to erosion and sediment control devices. No devices shall be removed without prior approval from Wake County. Wake County's sedimentation pollution control program is performance oriented, requiring protection of the natural resources and adjoining properties. If at any time during the project it is determined that the Erosion and Sedimentation Control Ordinance of Wake County, this office may require revisions in the plan and its implementation to ensure compliance with the Ordinance. All projects that have approved plans for an E&SC permit on or after Aug. 3, 2011 are covered by the NPDES Construction Stormwater General Permit, NCG 010000. In addition, effective October 1, 2010, persons conducting land-disturbing activities larger than one acre must inspect their project after each phase of the project, and document the inspection in writing. A packet with information on the NPDES General Permit and 	WEND	ELL: To	own of Wendell Unified Development Ordinance (UDO) Chapter 6: Environmental Protection, adopted 7/26/10.			
 issuance of the Stormwater and Land Disturbance Permits. Please call to schedule this meeting at your convenience. Grading, other than for installation of soil erosion and sedimentation control measures, is prohibited prior to the issuance of a Certificate of Compliance. Contractor shall follow plans strictly and maintain contact with Wake County prior to making any field modifications to erosion and sediment control devices. No devices shall be removed without prior approval from Wake County. Wake County's sedimentation pollution control program is performance oriented, requiring protection of the natural resources and adjoining properties. If at any time during the project it is determined that the Erosion and Sedimentation Control Ordinance of Wake County, this office may require revisions in the plan and its implementation to ensure compliance with the Ordinance. All projects that have approved plans for an E&SC permit on or after Aug. 3, 2011 are covered by the NPDES Construction Stormwater General Permit, NCG 010000. In addition, effective October 1, 2010, persons conducting land-disturbing activities larger than one acre must inspect their project after each phase of the project, and document the inspection in writing. A packet with information on the NPDES General Permit and 	ZEBUL	ON : <i>To</i>	own of Zebulon, NC Code of Ordinances: Chapter 151 and Chapter 152.249.			
Convenience. 2. Grading, other than for installation of soil erosion and sedimentation control measures, is prohibited prior to the issuance of a Certificate of Compliance. Contractor shall follow plans strictly and maintain contact with Wake County prior to making any field modifications to erosion and sediment control devices. No devices shall be removed without prior approval from Wake County. Wake County's sedimentation pollution control program is performance oriented, requiring protection of the natural resources and adjoining properties. If at any time during the project it is determined that the Erosion and Sedimentation Control Ordinance of Wake County, this office may require revisions in the plan and its implementation to ensure compliance with the Ordinance. All projects that have approved plans for an E&SC permit on or after Aug. 3, 2011 are covered by the NPDES Construction Stormwater General Permit, NCG 010000. In addition, effective October 1, 2010, persons conducting land-disturbing activities larger than one acre must inspect their project after each phase of the project, and document the inspection in writing. A packet with information on the NPDES General Permit and			A mandatory preconstruction meeting is required between the owner, contractor, and Wake County prior to			
2. Grading, other than for installation of soil erosion and sedimentation control measures, is prohibited prior to the issuance of a Certificate of Compliance. Contractor shall follow plans strictly and maintain contact with Wake County prior to making any field modifications to erosion and sediment control devices. No devices shall be removed without prior approval from Wake County. Wake County's sedimentation pollution control program is performance oriented, requiring protection of the natural resources and adjoining properties. If at any time during the project it is determined that the Erosion and Sedimentation Control Plan is inadequate to meet the requirements of the Erosion and Sedimentation Control Ordinance of Wake County, this office may require revisions in the plan and its implementation to ensure compliance with the Ordinance. All projects that have approved plans for an E&SC permit on or after Aug. 3, 2011 are covered by the NPDES Construction Stormwater General Permit, NCG 010000. In addition, effective October 1, 2010, persons conducting land-disturbing activities larger than one acre must inspect their project after each phase of the project, and document the inspection in writing. A packet with information on the NPDES General Permit and	\boxtimes	1.	issuance of the Stormwater and Land Disturbance Permits. Please call to schedule this meeting at your			
 the issuance of a Certificate of Compliance. Contractor shall follow plans strictly and maintain contact with Wake County prior to making any field modifications to erosion and sediment control devices. No devices shall be removed without prior approval from Wake County. Wake County's sedimentation pollution control program is performance oriented, requiring protection of the natural resources and adjoining properties. If at any time during the project it is determined that the Erosion and Sedimentation Control Ordinance of Wake County, this office may require revisions in the plan and its implementation to ensure compliance with the Ordinance. All projects that have approved plans for an E&SC permit on or after Aug. 3, 2011 are covered by the NPDES Construction Stormwater General Permit, NCG 010000. In addition, effective October 1, 2010, persons conducting land-disturbing activities larger than one acre must inspect their project after each phase of the project, and document the inspection in writing. A packet with information on the NPDES General Permit and 						
Contractor shall follow plans strictly and maintain contact with Wake County prior to making any field modifications to erosion and sediment control devices. No devices shall be removed without prior approval from Wake County. Wake County's sedimentation pollution control program is performance oriented, requiring protection of the natural resources and adjoining properties. If at any time during the project it is determined that the Erosion and Sedimentation Control Plan is inadequate to meet the requirements of the Erosion and Sedimentation Control Ordinance of Wake County, this office may require revisions in the plan and its implementation to ensure compliance with the Ordinance. All projects that have approved plans for an E&SC permit on or after Aug. 3, 2011 are covered by the NPDES Construction Stormwater General Permit, NCG 010000. In addition, effective October 1, 2010, persons conducting land-disturbing activities larger than one acre must inspect their project after each phase of the project, and document the inspection in writing. A packet with information on the NPDES General Permit and	\square	2	Grading, other than for installation of soil erosion and sedimentation control measures, is prohibited prior to			
 3. modifications to erosion and sediment control devices. No devices shall be removed without prior approval from Wake County. Wake County's sedimentation pollution control program is performance oriented, requiring protection of the natural resources and adjoining properties. If at any time during the project it is determined that the Erosion and Sedimentation Control Plan is inadequate to meet the requirements of the Erosion and Sedimentation Control Ordinance of Wake County, this office may require revisions in the plan and its implementation to ensure compliance with the Ordinance. All projects that have approved plans for an E&SC permit on or after Aug. 3, 2011 are covered by the NPDES Construction Stormwater General Permit, NCG 010000. In addition, effective October 1, 2010, persons conducting land-disturbing activities larger than one acre must inspect their project after each phase of the project, and document the inspection in writing. A packet with information on the NPDES General Permit and 		۷.	the issuance of a Certificate of Compliance.			
from Wake County. Wake County's sedimentation pollution control program is performance oriented, requiring protection of the natural resources and adjoining properties. If at any time during the project it is determined that the Erosion and Sedimentation Control Plan is inadequate to meet the requirements of the Erosion and Sedimentation Control Ordinance of Wake County, this office may require revisions in the plan and its implementation to ensure compliance with the Ordinance. All projects that have approved plans for an E&SC permit on or after Aug. 3, 2011 are covered by the NPDES Construction Stormwater General Permit, NCG 010000. In addition, effective October 1, 2010, persons conducting land-disturbing activities larger than one acre must inspect their project after each phase of the project, and document the inspection in writing. A packet with information on the NPDES General Permit and			Contractor shall follow plans strictly and maintain contact with Wake County prior to making any field			
 Wake County's sedimentation pollution control program is performance oriented, requiring protection of the natural resources and adjoining properties. If at any time during the project it is determined that the Erosion and Sedimentation Control Plan is inadequate to meet the requirements of the Erosion and Sedimentation Control Ordinance of Wake County, this office may require revisions in the plan and its implementation to ensure compliance with the Ordinance. All projects that have approved plans for an E&SC permit on or after Aug. 3, 2011 are covered by the NPDES Construction Stormwater General Permit, NCG 010000. In addition, effective October 1, 2010, persons conducting land-disturbing activities larger than one acre must inspect their project after each phase of the project, and document the inspection in writing. A packet with information on the NPDES General Permit and 	\boxtimes	3.	modifications to erosion and sediment control devices. No devices shall be removed without prior approval			
 natural resources and adjoining properties. If at any time during the project it is determined that the Erosion and Sedimentation Control Plan is inadequate to meet the requirements of the Erosion and Sedimentation Control Ordinance of Wake County, this office may require revisions in the plan and its implementation to ensure compliance with the Ordinance. All projects that have approved plans for an E&SC permit on or after Aug. 3, 2011 are covered by the NPDES Construction Stormwater General Permit, NCG 010000. In addition, effective October 1, 2010, persons conducting land-disturbing activities larger than one acre must inspect their project after each phase of the project, and document the inspection in writing. A packet with information on the NPDES General Permit and 			from Wake County.			
 4. and Sedimentation Control Plan is inadequate to meet the requirements of the Erosion and Sedimentation Control Ordinance of Wake County, this office may require revisions in the plan and its implementation to ensure compliance with the Ordinance. All projects that have approved plans for an E&SC permit on or after Aug. 3, 2011 are covered by the NPDES Construction Stormwater General Permit, NCG 010000. In addition, effective October 1, 2010, persons conducting land-disturbing activities larger than one acre must inspect their project after each phase of the project, and document the inspection in writing. A packet with information on the NPDES General Permit and 			Wake County's sedimentation pollution control program is <u>performance oriented</u> , requiring protection of the			
Control Ordinance of Wake County, this office may require revisions in the plan and its implementation to ensure compliance with the Ordinance. All projects that have approved plans for an E&SC permit on or after Aug. 3, 2011 are covered by the NPDES Construction Stormwater General Permit, NCG 010000. In addition, effective October 1, 2010, persons conducting land-disturbing activities larger than one acre must inspect their project after each phase of the project, and document the inspection in writing. A packet with information on the NPDES General Permit and			natural resources and adjoining properties. If at any time during the project it is determined that the Erosion			
ensure compliance with the Ordinance. All projects that have approved plans for an E&SC permit on or after Aug. 3, 2011 are covered by the NPDES Construction Stormwater General Permit, NCG 010000. In addition, effective October 1, 2010, persons conducting land-disturbing activities larger than one acre must inspect their project after each phase of the project, and document the inspection in writing. A packet with information on the NPDES General Permit and	\boxtimes	4.	and Sedimentation Control Plan is inadequate to meet the requirements of the Erosion and Sedimentation			
All projects that have approved plans for an E&SC permit on or after Aug. 3, 2011 are covered by the NPDES Construction Stormwater General Permit, NCG 010000. In addition, effective October 1, 2010, persons conducting land-disturbing activities larger than one acre must inspect their project after each phase of the project, and document the inspection in writing. A packet with information on the NPDES General Permit and			Control Ordinance of Wake County, this office may require revisions in the plan and its implementation to			
Construction Stormwater General Permit, NCG 010000. In addition, effective October 1, 2010, persons conducting land-disturbing activities larger than one acre must inspect their project after each phase of the project, and document the inspection in writing. A packet with information on the NPDES General Permit and						
5. conducting land-disturbing activities larger than one acre must inspect their project after each phase of the project, and document the inspection in writing. A packet with information on the NPDES General Permit and		-	All projects that have approved plans for an E&SC permit on or after Aug. 3, 2011 are covered by the NPDES			
project, and document the inspection in writing. A packet with information on the NPDES General Permit and			Construction Stormwater General Permit, NCG 010000. In addition, effective October 1, 2010, persons			
project, and document the inspection in writing. A packet with information on the NPDES General Permit and	\square		conducting land-disturbing activities larger than one acre must inspect their project after each phase of the			
and the second s		٥.	project, and document the inspection in writing. A packet with information on the NPDES General Permit and			
the Self-inspection Program will be provided at the preconstruction meeting. Permits and inspection reports			the Self-inspection Program will be provided at the preconstruction meeting. Permits and inspection reports			
shall be maintained on site.						
6. SUBDIVISIONS ONLY Builders are required to obtain grading permits for cumulative disturbance over o		SUBDIVISIONS ONLY Builders are required to obtain grading permits for cumulative disturbance over one acre				
(including non-contiguous lots).						
Stormwater COAs - All conditions of approval must be completed and approved by Wake County prior to final plat approval						
or signoff of the Certificate of Occupancy (C.O.) for future building permits. Items required prior to final plat or building						
permit approval are checked and listed below.	permit	appro	val are checked and listed below.			
As-Built Plans – Upon completion of required improvements, an as-built plan of required stormwater						
7. improvements must be submitted (must indicate that stormwater improvements were constructed in	\bowtie	7.				
accordance with the approved plan).			accordance with the approved plan).			
8. Maintenance Plan (OPM)	\boxtimes	8.	Maintenance Plan (OPM)			
The developer must record and reference on the record plat, a maintenance plan providing instruction		\square	The developer must record and reference on the record plat, a maintenance plan providing instruction			
a. about annual maintenance tasks and associated costs for at least a 20-year period.			a. about annual maintenance tasks and associated costs for at least a 20-year period.			
It will be the responsibility of the property owners association or lot owner to update the maintenance		\square	It will be the responsibility of the property owners association or lot owner to update the maintenance			
b. plan at least every 10 years.			b. plan at least every 10 years.			
9. Maintenance Agreement	\boxtimes	9.	Maintenance Agreement			
The developer must record and reference on the record plat, a maintenance agreement or restrictive			The developer must record and reference on the record plat, a maintenance agreement or restrictive			
a. covenant that sets for the property owners association's or lot owner's continuing responsibilities for		\boxtimes	;			
maintenance, including how cost will be apportioned among lot owners served.			maintenance, including how cost will be apportioned among lot owners served.			





WMCPA – ROLESVILLE, WENDELL, ZEBULON WATERSHED MANAGEMENT CONSTRUCTION PLAN APPROVAL

	1					
	\boxtimes	b.	The maintenance agreement must provide that the association and its individual members are jointly and severable liable for maintenance.			
		All r	maintenance documents required must be submitted prior to record plat approval and must be referenced			
\boxtimes	10.	10. on the record plat. For developments not requiring record plats, documentation must be submitted prior to				
		building permit issuance.				
		Performance Guarantee – If improvements are not installed prior to approval of a record plat, the <u>town</u> share require the submittal of a performance bond, letter of credit from, or cash escrow account with a local bank				
		This performance security is required in order to ensure that the structural SCMs are: (a) installed by the				
	11.		permit holder as required by the approved stormwater management plan; and/or (b) maintained by the owner			
			equired by the operation and maintenance agreement. certificate of compliance or occupancy shall be issued without final as-built plans and a final inspection, or			
performance guarantees, and approval by the Stormwater Administrator.						
Applic	able R	le Regulations				
\boxtimes	12.	Parties Responsible for Maintenance of Improvements				
			The developer must maintain stormwater improvements until accepted by a property owners association			
		a.	or lot owner. The developer must disclose which party will be responsible for continued maintenance on the record plat.			
		_	Before improvements are accepted for maintenance by the property owners association or lot owner, the			
		b.	developer must certify to the property owners association or lot owner and the county that improvements are complete and functioning as designed.			
	13.	Enforcement and Penalties				
	15.					
	\boxtimes	a.	Failure to complete required improvements or failure to maintain improvements as required by the approved plan are violations and subject to a fine of up to \$1,000 per day.			
		Inspection of Stormwater Improvements – Wake County agents have the right to inspect sites to				
		b.	determine whether stormwater improvements are being installed and maintained in compliance with the ordinance.			
		Validity of Plan, Lapse of Approval - An approved erosion and sedimentation control plan is valid for 2				
	14.	calendar years from the date of approval. If a land disturbance permit has not been obtained within the 2-year period, the erosion and sedimentation control plan approval becomes null and void.				
\square	15.	Actions Required Prior to Land Disturbance				
			S&EC plan approval and land disturbance permit issued must be prominently displayed until all			
	\boxtimes	a.	construction is complete, all permanent sedimentation and erosion control measures are installed and			
			the site has been stabilized. A copy of the approved plan must be kept on file at the job site.			
	\boxtimes	b.	No person shall initiate a land-disturbing activity until notifying Wake County of the date that the land-disturbing activity will begin.			
\boxtimes	16.	Au	Authority			
			County officials may enter any property, public or private, at reasonable times for the purpose of			
			investigating and inspecting the sites of any land-disturbing activity. No person shall refuse entry or access			
		a. to any authorized representative or agent for the County who requests entry for purposes of inspect and presents appropriate credentials, nor shall any person obstruct, hamper, or interfere with any such				
		representatives while in the process of carrying out their official duties.				

Wake County Environmental Services Department Water Quality Division, Watershed Management Section 336 Fayetteville St. • P.O. Box 550 • Raleigh, NC 27602 TEL 919 856-7400 • FAX 919 743-4772

WMCPA – ROLESVILLE, WENDELL, ZEBULON WATERSHED MANAGEMENT CONSTRUCTION PLAN APPROVAL

			Agents and officials of the County will periodically inspect land-disturbing activities to ensure compliance with the North Carolina Sedimentation Pollution Control Act, this article, or rules or orders adopted or issued pursuant to this article, and to determine whether the measures required in the erosion and sedimentation control plan are effective in controlling erosion and sedimentation resulting from land-disturbing activity.	
			c.	Any land-disturbing activity will be the responsibility of the person(s) conducting the land disturbing activity, including the property owners. Failure to prevent off site sedimentation will be deemed a violation of the erosion and sedimentation control regulations of this article.
	\boxtimes	 15A NCAC 2B.0233 - Due to the location of this project, it should be noted that a rule to protect and maintal existing buffers along watercourses in all of Wake County became effective in 2006. The Neuse River Riparia Area Protection and Maintenance Rule applies to all perennial and intermittent streams, lakes, ponds and estuaries in Wake County with forest vegetation on the adjacent land or "riparian area". In riparian areas we existing forest vegetation in the first 30 feet directly adjacent to the stream, the rule prohibits land disturbance new development and fertilizer use within the first 50 feet of land next to the water. In riparian areas with vegetation that is less than 30 feet wide, the rule prohibits land disturbance, new development and fertilize within the area that contains forest vegetation (but not the entire 50 foot riparian area). For more informated about this riparian area rule, please contact the Division of Water Quality's Wetland/401 Unit at 919-807-63. Wake County enforces the Neuse Buffer Rules in both the Cape Fear River Basin and the Neuse River Basin when superseded by the Jordan Buffer Rules [15A NCAC 02B.0265]. 		

Wake County Watershed Management Section is not responsible for subject approvals of other Local, State or Federal Agencies. The subject approvals are (but not limited to) Federal Emergency Management Area Flood regulations/requirements, Division of Water Quality under stormwater or other water quality regulations/requirements, U.S. Army Corps of Engineers under Article 404/401 (Wetlands/Streams) jurisdiction/requirements, and/or any Federal, State, County and Local municipal regulations or permit requirements. The approval issued in this letter cannot supersede any other required permit or approval.

Wake County PE:

James S. Boya

Janet Boyer, PE, CFM

Contact Info: janet.boyer@wakegov.com

919-856-7422